Create Marquee effect in poplists and menus

Starting from S60 2nd Edition, FP2 it is possible to enable the marquee effect (horizontal scrolling of the selected item if its text width does not allow it to be fully displayed) for all the objects derived from **CFormattedCellListBoxData**.

Header required:

```
#include <aknlists.h> //CAknSinglePopupMenuStyleListBox
#include <aknpopup.h> //CAknPopupList
```

Library needed:

```
Library avkon.lib eikctl.lib eikcoctl.lib
```

Source:

```
void CTestAppUi::HandleCommandL( TInt aCommand )
  {
  switch( aCommand )
    {
    case ETestAppCommand1:
      {
      CAknSinglePopupMenuStyleListBox* list = new(ELeave) CAknSinglePopupMenuStyleListBox;
      CleanupStack::PushL(list);
      // Create popup list and PUSH it.
      CAknPopupList* popupList = CAknPopupList::NewL(list, R_AVKON_SOFTKEYS_OK_BACK, AknPopupLayouts::EMenuWindow);
      CleanupStack::PushL(popupList);
      // initialize listbox.
      list->ConstructL(popupList, CEikListBox::ELeftDownInViewRect);
      list->CreateScrollBarFrameL(ETrue);
      list->ScrollBarFrame()->SetScrollBarVisibilityL(CEikScrollBarFrame::EOff, CEikScrollBarFrame::EAuto);
      _LIT(KListItemFormat, "%S");
      _LIT(KFirstItem, "First item");
      _LIT(KNextItem, "This is a very long string used for the next item");
      _LIT(KLastItem, "Last item");
      // construct listbox item array
      CDesCArray *itemList = new (ELeave) CDesCArrayFlat(3);
      TBuf<100> item;
      // first listbox item
      item.Format(KListItemFormat, &KFirstItem());
      itemList->AppendL(item);
      // next listbox item
      item.Format(KListItemFormat, &KNextItem());
      itemList->AppendL(item);
      // last listbox item
      item.Format(KListItemFormat, &KLastItem());
      itemList->AppendL(item);
      // set items and ownership
      list->Model()->SetItemTextArray(itemList);
      list->Model()->SetOwnershipType(ELbmOwnsItemArray);
      // enable marquee effect for long strings
      list->ItemDrawer()->FormattedCellData()->EnableMarqueeL( ETrue );
      // Set title
      popupList->SetTitleL(_L("Scrollable items"));
      // Show popup list.
      CleanupStack::Pop();            // popuplist
      TBool popupOk = popupList->ExecuteLD();
      if(popupOk)
        {
        // do something
        }
      else
```


(C) Copyright Nokia 2013. All rights reserved.

```
        {
        // do something else
        }
      CleanupStack::PopAndDestroy();  // list
      }
      break;
    default:
      Panic( ETestAppUi );
      break;
    }
  }
```


(C) Copyright Nokia 2013. All rights reserved.

(C) Copyright Nokia 2013. All rights reserved.